




Ginger

Joan Gaspar


marset




Ginger B 20/44



Ginger B 20/63



Ginger B 20/86



Ginger B 20/44

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

Ginger B 20/63

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm


Ginger B 20/86

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

LED included

Lacquered aluminium structure and diffuser, with white interior always.

- Black-White (RAL 9005 - 9010)
- Rust brown




* Dimmable depending on the purchased power supply .
24V remote power supply to be ordered separately.




- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

Post accessory




Ground fixation plate




info@marset.com
www.marset.com


Range




The collection features new floor lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.




Ginger 60C IP65




Ginger 42C IP65





Ginger 32C IP65



Ginger 20C IP65



Ginger 15C IP65



Ginger 15C IP65

Ginger 15C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 67lm - Black-White
 (Power supply not included) 27lm - Rust brown

Ginger 20C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 161lm - Black-White
 (Power supply not included) 29lm - Rust brown

Ginger 32C IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire:
 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 81lm - Rust Brown

Ginger 42C IP65

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire:
 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
 180 - 295 VAC TRIAC 19,71W 186lm - Rust brown

Ginger 60C IP65

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire:
 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
 180 - 295 VAC TRIAC 26,09W 245lm - Rust brown

LED included


Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

- Rust brown
- Black-White (RAL 9005 - 9010)



- Download** Assembly Instructions
- Download** 2D
- Download** 3D
- Download** Photometric data

Range




info@marset.com


The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust texture for the exterior, which creates new and intense lighting effects.



Ginger 60/298



Ground fixation plate



Ginger 60/298

Light source:
LED SMD 1050mA 33,8W 2700K
CRI90 4037lm
Luminaire:
90 - 305 VAC 1-10V 35,8W 1463lm

LED included


Lacquered steel structure with black matt injected aluminium dissipater, and lacquered aluminium diffuser with white interior.

● Black-White (RAL 9005 - 9010)



- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

Range




info@marset.com
www.marset.com


The lamppost—at almost 3 meters high—is a design of function, a centrepiece of our new outdoor collection, on sober black, which discreetly illuminates your garden or the entryway to your outdoor space.



Ginger 32A IP65



Ginger 20A IP65



Ginger 20C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire:
 (Power supply not included) 161lm - Black-White
 (Power supply not included) 291lm - Rust brown

Ginger 32C IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire:
 220 - 240 VAC TRIAC 9W 350lm - Black-White
 220 - 240 VAC TRIAC 9W 81lm - Rust Brown

LED included

Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.


- Rust brown
- Black-White (RAL 9005 - 9010)

III* IP65 dimmable



- [Download](#) Assembly Instructions
- [Download](#) 2D
- [Download](#) 3D
- [Download](#) Photometric data

info@marset.com



The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust texture for the exterior, which creates new and intense lighting effects.